

"Express Mail" Label No EL 903200500US
Date of Deposit November 2, 2001

PATENT
Attorney Docket No.: 20695D-000110US
Client Ref. No.: US 196

I hereby certify that this is being deposited with the United States Postal
Service "Express Mail Post Office to Address" service under 37 CFR 1.10
on the date indicated above and is addressed to:

Assistant Commissioner for Patents
Washington, D.C. 20231

By: Maisie C. Livengood
Maisie C. Livengood

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Mitterer, et al.

Application No.: TO BE ASSIGNED

Filed: HEREWITH

For: A METHOD FOR PURIFYING
FACTOR VWF-COMPLEX BY
MEANS OF CATION
EXCHANGE
CHROMATOGRAPHY

Art Unit:

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Please amend the application as follows without prejudice:

IN THE SPECIFICATION:

On page 1, after the TITLE section, please insert the following:

-- CROSS REFERENCE TO RELATED APPLICATIONS

This is a divisional of U.S. Patent Application Serial No. 09/367,459, filed May 8, 2000,
which is a national phase of PCT Patent Application No. PCT/AT98/00043, filed February 27
1998, which claims priority to AT Patent Application No. A338/97 filed February 27, 1997, all
of which are incorporated herein by reference in their entirety.--

IN THE CLAIMS:

Please cancel claims 1-16.

Please add new claims 17-22 as follows:

17. (New) A factor VIII/vWF-complex particularly containing high-molecular vWF multimers, obtainable from a factor VIII/vWF-containing solution by cation exchange chromatography.

18. (New) The factor VIII/vWF-complex of Claim 17, wherein said factor VIII/vWF-complex is particularly free from low-molecular vWF multimers, inactive vWF degradation products, factor VIII free from platelet agglutinating vWF activity and factor VIIIa activity.

19. (New) The factor VIII/vWF-complex of Claim 18, wherein said factor VIII/vWF-complex has a specific vWF activity of at least 66 U/mg protein and a specific factor VIII activity of at least 500 U/mg protein.

20. (New) A preparation comprising factor VIII/vWF-complex of Claim 19, wherein said preparation is virus-safe and free from infectious material.

21. (New) The preparation of Claim 20, wherein said preparation is present in storage-stable form.

22. (New) The preparation of Claim 20, wherein said preparation is formulated as a pharmaceutical preparation.

REMARKS

This is a divisional of U.S. Patent No. 09/367,459, filed May 8, 2000, which is a national phase of PCT Patent Application No. PCT/AT98/00043, filed February 27 1998, which claims priority to AT Patent Application No. A338/97 filed February 27, 1997, all of which are incorporated herein by reference in their entirety.

Claims 1-16 are pending in this application. Claims 1-16 have been canceled. Claims 17-22 have been added. New claims 17-22 correspond to claims 26-28, 30, 32 and 34 of the Preliminary Amendment to the parent application that was filed on August 13, 1999, which were canceled in response to the Restriction Requirement having a mailing date of September 19, 2001. Upon entry of this Preliminary Amendment, Claims 17-22 will be pending in this application.

Attached hereto as Appendix A captioned "Version with Markings to show changes made" is a marked-up version of the changes made to the claims by the current amendment.

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 303-571-4000.

Respectfully submitted,



Don D. Cha
Reg. No. 40,945

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, 8th Floor
San Francisco, California 94111-3834
Tel: (415) 576-0200
Fax: (415) 576-0300
DDC:mcl
DE 7054007 v1

APPENDIX A

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE SPECIFICATION:

On page 1, after the TITLE section, the "CROSS-REFERENCE TO RELATED APPLICATION" section has been added as follows:

CROSS-REFERENCE TO RELATED APPLICATIONS

This is a divisional of U.S. Patent Application Serial No. 09/367,459, filed May 8, 2000, which is a national phase of PCT Patent Application No. PCT/AT98/00043, filed February 27 1998, which claims priority to AT Patent Application No. A338/97 filed February 27, 1997, all of which are incorporated herein by reference in their entirety.

IN THE CLAIMS:

Claims 1-16 have been canceled.

New Claims 17-22 have been added as follows:

17. (New) A factor VIII/vWF-complex particularly containing high-molecular vWF multimers, obtainable from a factor VIII/vWF-containing solution by cation exchange chromatography.

18. (New) The factor VIII/vWF-complex of Claim 17, wherein said factor VIII/vWF-complex is particularly free from low-molecular vWF multimers, inactive vWF degradation products, factor VIII free from platelet agglutinating vWF activity and factor VIIIa activity.

19. (New) The factor VIII/vWF-complex of Claim 18, wherein said factor VIII/vWF-complex has a specific vWF activity of at least 66 U/mg protein and a specific factor VIII activity of at least 500 U/mg protein.

20. (New) A preparation comprising factor VIII/vWF-complex of Claim 19, wherein said preparation is virus-safe and free from infectious material.

21. (New) The preparation of Claim 20, wherein said preparation is present in storage-stable form.

22. (New) The preparation of Claim 20, wherein said preparation is formulated as a pharmaceutical preparation.

Claims:

1. A method of recovering factor VIII/vWF-complex, characterized in that factor VIII/vWF-complex from a protein solution is bound to a cation exchanger and is recovered by step-wise elution of factor VIII/vWF-complex, which particularly contains high-molecular vWF-multimers.
2. A method according to claim 1, characterized in that factor VIII/vWF-complex is bound to a cation exchanger at a salt concentration of ≤ 250 mM, and factor VIII/vWF-complex containing low-molecular vWF multimers, factor VIII free from platelet agglutinating vWF activity and factor VIII:C is eluted at a salt concentration of between ≥ 250 mM and ≤ 300 mM and recovered.
3. A method according to claim 1 or 2, characterized in that factor VIII/vWF-complex particularly containing high-molecular vWF multimers is recovered by step-wise fractionation at a salt concentration of ≥ 300 mM, preferably ≥ 350 mM.
4. A method according to claim 3, characterized in

AMENDED SHEET

that a factor VIII/vWF-complex-containing fraction is recovered which particularly is free from low-molecular vWF multimers and vWF degradation products, non-complexed factor VIII or factor VIII weakly bound to vWF, and contaminating nucleic acids.

5. A method according to any one of claims 1 to 4, characterized in that the elution of the polypeptides from the cation exchanger is effected in a buffer system having a pH ranging between 4.5 and 8.5, preferably ≥ 7.1 and ≤ 8.5 .
6. A method according to any one of claims 1 to 5, characterized in that the cation exchanger is a sulfopropyl- or carboxymethyl-group-conjugated carrier.
7. A method according to any one of claims 1 to 6, characterized in that a factor VIII/vWF-complex particularly containing high-molecular vWF multimers is recovered.
8. A method according to any one of claims 1 to 7, characterized in that factor VIII/vWF-complex is recovered from plasma, a plasma fraction,

AMENDED SHEET

cryoprecipitate, the cell-free supernatant or extract of a recombinant cell culture, or from an enriched protein fraction.

9. A factor VIII/vWF-complex particularly containing high-molecular vWF multimers, obtainable from a factor VIII/vWF-containing solution by cation exchange chromatography.

10. A factor VIII/vWF-complex according to claim 9, characterized in that it is particularly free from low-molecular vWF multimers, inactive vWF-degradation products and factor VIII free from platelet-agglutinating vWF activity and from factor VIIIa activity.

11. A factor VIII/vWF-complex according to claim 10, characterized in that it has a specific vWF activity of at least 66 U/mg protein and a specific factor VIII activity of at least 500 U/mg protein.

12. Factor VIII:C, substantially free from platelet-agglutinating vWF activity, obtainable from a factor VIII/vWF-containing solution by cation exchange

AMENDED SHEET

chromatography and step-wise elution at a salt concentration of between ≥ 200 mM and ≤ 300 mM.

13. A preparation containing factor VIII/vWF-complex or factor VIII:C according to any one of claims 11 or 12, characterized in that it is virus-safe and free from infectious material.

14. A preparation according to claim 13, characterized in that it is present in storage-stable form.

15. A preparation according to any one of claims 13 or 14, characterized in that it is formulated as a pharmaceutical preparation.

16. The use of a preparation according to any one of claims 13 to 15 for producing a medicament for the treatment of patients suffering from hemophilia A, phenotypical hemophilia and vWD.